बिड संख्या/Bid Number: GEM/2026/B/8248490

दिनांक /Dated: 06-11-2026

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	27-11-2026 13:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	28-11-2026 13:00:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Agriculture And Farmers Welfare
विभाग का नाम/Department Name	Department Of Agricultural Research And Education (dare)
संगठन का नाम/Organisation Name	Indian Council Of Agricultural Research (icar)
कार्यालय का नाम/Office Name	Central Plantation Crops Research Institute
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	HOD Email id :subramanian.rn-icar@nic.in Buyer Email id: ravindran.m@icar.org.in
कुल मात्रा/Total Quantity	45331
वस्तु श्रेणी /Item Category	16 MM UV stabilized Online Poly Tube , Micro Tube of 6 MM , 16 MM dripline Joiner , 6 MM Joiner for extension tubes , J.Jet 30LPH blue colored nozzle , Goof Plug , 16 MM UV resistant Polyethylene End Stop , PVC Gum 250mL , 90 MM PVC Ball Valve , 63 MM PVC Ball Valve , Hack Saw Blade , 20 MM Plastic Bib Cock , 25mm PVC Ball Valve , 140 MM PVC pressure Pipe , 90 MM PVC pressure Pipe , 20 MM PVC pressure Pipe , 160 MM PVC Solvent Cement Bend , 90 MM PVCSolvent Cement Bend , 32 MM PVCSolvent Cement Bend , 25 MM PVCSolvent Cement Bend , 20 MM PVCSolvent Cement Bend , 50 MM PVC Elbow , 25 MM PVC Elbow , 110 MM PVC plain End Cap , 50 MM PVC MTA , 140 MM PVC Equal TEE , 32 MMPVC Equal TEE , 110 MM PVC Coupler , 90 MM PVC Coupler , 63 MM PVC Coupler , 50 MM PVC Coupler , 140 MM X 110 MM PVC Reducer Socket , 90 MM X 63 MM PVC Reducer Socket , 110 MM G.I Gate Valve , 140 MM G.I Gate Valve , 160 MM G.I Gate Valve , 110 MM Stainless Steel Hose Collar , 110 MM cast iron ball type non-return valve , 110 MM Heavy duty Metal Round Clamp , 90 MM Stainless Steel Hose Collar for HDPE Pipe , 90 MM cast iron ball type non-return valve , 90 MM Heavy duty Metal Round Clamp , 75 MM Stainless Steel Hose Collar for HDPE Pipe , 75 MM cast iron ball type non-return valve , 75 MM Heavy duty Metal Round Clamp

बिड विवरण/Bid Details	
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	16 MM UV stabilized Online Poly Tube, Micro Tube of 6 MM , 16 MM dripline Joiner , 6 MM Joiner for extension tubes , J.Jet 30LPH blue colored nozzle, Goof Plug , 16 MM UV resistant Polyethylene End Stop , PVC Gum 250mL , 90 MM PVC Ball Valve , 63 MM PVC Ball Valve , Hack Saw Blade, 20 MM Plastic Bib Cock, 25mm PVC Ball Valve, 140 MM PVC pressure Pipe , 90 MM PVC pressure Pipe , 20 MM PVC pressure Pipe , 160 MM PVC Solvent Cement Bend , 90 MM PVCSolvent Cement Bend, 32 MM PVCSolvent Cement Bend, 25 MM PVCSolvent Cement Bend, 20 MM PVCSolvent Cement Bend, 50 MM PVC Elbow, 25 MM PVC Elbow , 110 MM PVC plain End Cap , 50 MM PVC MTA , 140 MM PVC Equal TEE , 32 MMPVC Equal TEE , 110 MM PVC Coupler , 90 MM PVC Coupler , 63 MM PVC Coupler , 50 MM PVC Coupler, 140 MM X 110 MM PVC Reducer Socket, 90 MM X 63 MM PVC Reducer Socket, 110 MM G.I Gate Valve, 140 MM G.I Gate Valve, 160 MM G.I Gate Valve, 110 MM Stainless Steel (SS) Hose Collar , 110 MM cast iron (CI) ball type non-return valve , 110 MM Heavy duty Metal Round Clamp, 90 MM Stainless Steel (SS) Hose Collar for HDPE Pipe, 90 MM cast iron (CI) ball type non-return valve , 90 MM Heavy duty Metal Round Clamp, 75 MM Stainless Steel (SS) Hose Collar for HDPE Pipe, 75 MM cast iron (CI) ball type non-return valve (NRV), 75 MM Heavy duty Metal Round Clamp
	Searched String: 16 MM UV stabilized Online Poly Tube High Density Polyethylene (HDPE) Laminated Woven Lay Flat Tube for Irrigation Purpose as per IS 16190, Polyurethane Tube (V2), Copper Tube 35 mm-OFB, Culture Tube With Screw Cap (V2) **Searched String**: Micro Tube of 6 MM Copper Tube 35 mm-OFB, Dry Erase Writing Boards (V3), Copper Tube 104.9mm-OFB, Endotracheal Tube - Sterile (Single Use), Test Tube Rack, Pin Up Notice Board (V2), Carbon Tape 19 MM(OFB-DEFENCE), Speed Breaker (V3), Pouch for Ammunition and Grenades Made of Disruptive Pattern Nylon 6 6 Marked to IS 16726, Muffle/Box Furnace (V2) **Searched String**: 16 MM dripline Joiner XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Hot Rolled Round Steel Bars as per IS 1732, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Rubber Steam Hose (V2) as per IS 10655, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Polyurethane Tube (V2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, High Strength Deformed Steel Bars and Wires for Concrete Reinforcement (V2) ISI marked to IS 1786, Terminal Ends for Aluminium Conductors of Insulated Cables (Compression Cable Lugs) Conforming To IS 8309 **Searched String**: 6 MM Joiner for extension tubes Pressure Extension Tubes for Medical Purpose, Unplsticized PVC Pipes for Water Supply conforming to IS 4985,

बिड विवरण/Bid Details	Endotracheal Tube - Sterile (Single Use), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Polyethylene Pipes for Water Supply conforming to IS 4984, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), Polyurethane Tube (V2), Disposable Tracheostomy Tube (V2) **Searched String**: J.Jet 30LPH blue colored nozzle Category not available on GeM for the text string uploaded by the buyer **Searched String**: Goof Plug Rubber Plug, Plug Gauge, Rubber Plug (V2), Mobile Containers For Solid Waste Conforming to IS 12402, Thread Plug Gauge, Plug and Socket Distribution Board, Electrical Plugs (V2) ISI Marked to IS 1293, Plain Plug Gauges as per IS 6137, PVC gitti, Power Lawn Mowers **Searched String**: 16 MM UV resistant Polyethylene End Stop Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Artificial Turf, Irrigation Equipment - Polyethylene Pipes for Irrigation Laterals as per IS 12786, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Polyethylene Pipes for Water Supply conforming to IS 4984 **Searched String**: PVC Gum 250mL Guar Gum - Oil, Reverse Osmosis based Water Treatment System above 50 LPH Capacity (V2), PVC gitti, Zinc Solubizing Biofertilizers (ZSB), Gum Powder from Sri Ganganagar - ODOP, Shaker Incubator, PVC Sheet (V2), Phenolphthalein indicator, PVC Reducer Socket, PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694 **Searched String**: 90 MM PVC Ball Valve CPVC Ball Valve, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, General Purpose Ball Valves (V2), Floor Drain Traps (V2), Ball Valve as per GAIL (India) Limited, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Valves for Pneumatic Tyres conforming to IS 9081, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, General Purpose Ball Valves conforming to IS 9890, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: 63 MM PVC Ball Valve CPVC Ball Valve, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, General Purpose Ball Valves (V2), Commercial PPR Pipes Fittings as per IS 15801, Ball Valve as per GAIL (India) Limited, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, General Purpose Ball Valves conforming to IS

बिड विवरण/Bid Details	9890, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, FRP Chamber Covers Used For Steel/PE Ball Valve Chambers as per Gujarat Gas Limited **Searched String**: Hack Saw Blade Jig Saw Blade (V2), Band Saw Blade (V2), Petrol Powered Circular Saw (NDRF), Reciprocating Saw Cutting Blade (V2), Saw Blades or Hacksaw Blades (V3) as per IS 2594, Non Sparking Hacksaw Blade Or Frame-IS:4595, 45 degree Leg Press or Hack Squat Machine, Autopsy Saw, Pruning saw, Shrub Master **Searched String**: 20 MM Plastic Bib Cock PTMT Tap Fitting, Speed Breaker (V3), Plastics Bib Taps Pillar Taps Angle Valves and Stop Valves as per IS 9763:2000 (Latest), PLASTIC BIB TAPS, PILLAR TAPS, ANGLE VALVES & STOP VALVES FOR HOT & COLD WATER SERVICES Conforming to IS 9763, Plastic Pallets for Palletized 130 mm Ammunition (Defence), Writing Pens, Cast Copper Alloy Screw Down Bib Taps and Stop Valves for Water Services as per IS 781, Mild Steel Sheet, Centrifuge Tubes (V3), Memory Card Reader (V2) **Searched String**: 25mm PVC Ball Valve CPVC Ball Valve, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, General Purpose Ball Valves (V2), Ball Valve as per GAIL (India) Limited, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, General Purpose Ball Valves conforming to IS 9890, Galva Coating Spray, FRP Chamber Covers Used For Steel/PE Ball Valve Chambers as per Gujarat Gas Limited, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: 140 MM PVC pressure Pipe Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Asbestos Cement Pressure Pipe and Joints ISI Marked to 1592, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Parallel Bar - Outdoor Gym Equipment, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592 **Searched String**: 90 MM PVC pressure Pipe Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Calcined Magnesia Carbon Grog - SAIL, Cast Iron Detachable Joints for Use with Asbestos Cement Pressure Pipes conforming to IS 8794, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Copper Alloy Gate Valve For Waterworks Purpose (V2)

बिड विवरण/Bid Details	Conforming to IS 778, Asbestos Cement Pressure Pipe and Joints ISI Marked to 1592, Floor Drain Traps (V2), Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Parallel Bar - Outdoor Gym Equipment **Searched String**: 20 MM PVC pressure Pipe Pipe for Gardening Purpose, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Asbestos Cement Pressure Pipe and Joints ISI Marked to 1592, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Pipe Fitting For Structured-Wall Plastics Pipes For Non-Pressure Drainge And Sewerage-IS:16098, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Non Sparking Pipe Wrench (V2), Parallel Bar - Outdoor Gym Equipment, Unplasticized Polyvinyl Chloride (PVC - U) Pipes for Soil and Waste Discharge System as per IS 13592 **Searched String**: 160 MM PVC Solvent Cement Bend Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Reinforced concrete fence posts Bend Type-II (Cement or concrete posts) **Searched String**: 90 MM PVCSolvent Cement Bend Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Correspondence Envelopes (V3) Conforming to IS 13892, Calcined Magnesia Carbon Grog - SAIL, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Cast Iron Detachable Joints for Use with Asbestos Cement Pressure Pipes conforming to IS 8794, Petri plates or dishes(V2), Polyethylene Pipes for Water Supply conforming to IS 4984 **Searched String**: 32 MM PVCSolvent Cement Bend Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), rubber bands, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Waste Fittings for Washbasin and Sinks as per IS 2963, Flexible Drain Hoses for Wash Basins/ Sinks, Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778, Drilling Machine Bench Type / Pillar Type as per IS 2425, General Purpose Ball Valves conforming to IS 9890, Binder Clips (V3) Conforming to IS 8231 **Searched String**: 25 MM PVCSolvent Cement Bend Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cast Iron Bench, Unplsticized PVC Pipes for Water Supply conforming

बिड विवरण/Bid Details	
GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS	to IS 4985, Parallel Bar - Outdoor Gym Equipment, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Endotracheal Tube - Sterile (Single Use), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: 20 MM PVCSolvent Cement Bend Reinforced concrete fence posts Bend Type-II (Cement or concrete posts), Centrifuge Tubes (V3), White Cement Based Polymeric Putty (V2) Conforming to IS 17545, Mild Steel Sheet, LED Batten, Memory Card Reader (V2), Cast Iron Detachable Joints for Use with Asbestos Cement Pressure Pipes conforming to IS 8794, Endotracheal Tube - Sterile (Single Use), Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Theft Proof Rifle Racks **Searched String**: 50 MM PVC Elbow Hand Magnifiers (V2) conforming to IS 5148, Speed Breaker (V3), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Commercial PPR Pipes Fittings as per IS 15801, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Floor Drain Traps (V2), Cast Iron Bench, ID Card Holder (V2) **Searched String**: 25 MM PVC Elbow XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Commercial PPR Pipes Fittings as per IS 15801, Cast Iron Bench, Floor Drain Traps (V2), Parallel Bar - Outdoor Gym Equipment, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: 110 MM PVC plain End Cap PVC End Cap, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS 7834 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: 50 MM PVC MTA Hand Magnifiers (V2) conforming to IS 5148, Speed Breaker (V3), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Floor Drain Traps (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular

बिड विवरण/Bid Details	Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, ID Card Holder (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2) **Searched String**: 140 MM PVC Equal TEE Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2) **Searched String**: 32 MMPVC Equal TEE Steel Tubes, Tubulars and Other Steel Fittings as per IS 1239 (Part 2 - Steel Pipe Fittings), Wrought carbon Steel And Alloy Steel Pipe Fitting for Moderate And High Temperature Service, Elbows, Tees and Crosses, Equal confirming to IS 1239 (Part 2), Commercial PPR Pipes Fittings as per IS 15801, Elbows, Tees and Crosses, Male, Equal confirming to IS 1239 (Part 2), Elbow, Tees and Crosses, Side Outlet, Equal conforming to IS 1239 (Part 2), Twin Elbows and Sweep Tees, Male, Equal confirming to IS 1239 (Part 2), Y - Pieces and Angle Tees, Male, Equal confirming to IS 1239 (Part 2), Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124 **Searched String**: 110 MM PVC Coupler Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Flat Cable, Aluminium Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, PVC Insulated Unsheathed Cable with Rigid Conductor (V2) ISI Marked To IS 694 **Searched String**: 90 MM PVC Coupler Calcined Magnesia Carbon Grog - SAIL, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Fabricated

बिड विवरण/Bid Details	PVC - U Fittings for Portable Water Supplies as per IS 10124, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Floor Drain Traps (V2), PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694 **Searched String**: 63 MM PVC Coupler PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Polyethylene Pipes for Water Supply conforming to IS 4984, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Unplsticized PVC Pipes for Water Supply conforming to IS 4985 **Searched String**: 50 MM PVC Coupler Hand Magnifiers (V2) conforming to IS 5148, Speed Breaker (V3), Sluice Valve For Water Works Purposes (50 To 1200 Mm Size) (V2) As Per Is 14846, Commercial PPR Pipes Fittings as per IS 15801, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Rigid Conductor (V2) ISI Marked To IS 694, Floor Drain Traps (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), ID Card Holder (V2), Cast Iron Bench, PVC Insulated Copper Cord Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694 **Searched String**: 140 MM X 110 MM PVC Reducer Socket Correspondence Envelopes (V3) Conforming to IS 13892, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, Commercial PPR Pipes Fittings as per IS 15801, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Socket Unions confirming to IS 1239 (Part 2), ID Card Holder (V2), Floor Drain Traps (V2), CHLORINATED POLYVINYL CHLORIDE (CPVC) FITTINGS FOR POTABLE HOT AND COLD WATER DISTRIBUTION SUPPLIES Conforming to IS 17546, gabion revet mattresses and rock fall netting **Searched String**: 90 MM X 63 MM PVC Reducer Socket Fabricated PVC - U Fittings for Portable Water Supplies as per IS 10124, Correspondence Envelopes (V3) Conforming to IS 13892, Injection Moulded PVC Socket Fittings with Solvent Cement Joints for Water Supplies conforming to IS

बिड विवरण/Bid Details	7834 (Part 1), Unplasticized PVC Pipes for Potable Water Supplies as per IS 4985, UPVC Pipe Fittings For Use With UPVC Pipes in the Suction and Delivery Lines of Agricultural Pumps conforming to IS 13593, Unplsticized PVC Pipes for Water Supply conforming to IS 4985, Floor Drain Traps (V2), ID Card Holder (V2), Note Sheet Pad (Azure Laid) (V3), Corrugated Boxes **Searched String**: 110 MM G.I Gate Valve Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: 140 MM G.I Gate Valve Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: 160 MM G.I Gate Valve Copper Alloy Gate Valve For Waterworks Purpose (V2) Conforming to IS 778 **Searched String**: 110 MM Stainless Steel (SS) Hose Collar Stainless Steel Conical Spring Washer - BHEL, Stainless Steel Worktable With Undershelf, Stainless Steel Wire Conforming To IS 6528, Floor Drain Traps (V2), Pole Mounted Stainless Steel Dustbin (V2), ETO Sterilizer, Stainless Steel Spring Lock Washer - Bhel-IS:3063, Soap Dish/ Case (V2), Domestic Drinking Glasses (Defence), Stainless Steel Bucket (V3) conforming to IS 4768 **Searched String**: 110 MM cast iron (CI) ball type non-return valve Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), General Purpose Ball Valves (V2) **Searched String**: 110 MM Heavy duty Metal Round Clamp PVC Insulated (Heavy Duty) Electric Cables Marked To IS 1554 (Part 1) (V2), Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Special Tools For Deepwell Handpump Conforming To IS 15500 (Part 8) (V2), Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, Floor Drain Traps (V2), IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Heavy duty longspan storage System, Heavy Duty Pipe Wrench (V2) As Per Is 4003 **Searched String**: 90 MM Stainless Steel (SS) Hose Collar for HDPE Pipe Connector Pipes for Washbasins/ Sinks/ Geyser **Searched String**: 90 MM cast iron (CI) ball type non-return valve Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), General Purpose Ball Valves (V2) **Searched String**: 90 MM Heavy duty Metal Round Clamp Special Tools For Deepwell Handpump Conforming To IS 15500 (Part 8) (V2), Precast Concrete Manhole Cover and

बिड विवरण/Bid Details	Frame (V3) Conforming to IS 12592, Floor Drain Traps (V2), Precast Concrete Manhole Cover and Frame (V2)
	Conforming to IS 12592, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Heavy Duty Pipe Wrench (V2) As Per Is 4003, Bathroom Water Shower (V2) **Searched String**: 75 MM Stainless Steel (SS) Hose Collar for HDPE Pipe Connector Pipes for Washbasins/ Sinks/ Geyser **Searched String**: 75 MM cast iron (CI) ball type non-return valve (NRV) Swing Check Type Reflux Valves for Water Works Purposes (Single Door Pattern) (V2) as per IS 5312 (Part1), General Purpose Ball Valves (V2) **Searched String**: 75 MM Heavy duty Metal Round Clamp Special Tools For Deepwell Handpump Conforming To IS 15500 (Part 8) (V2), Bathroom Water Shower (V2), Floor Drain Traps (V2), Precast Concrete Manhole Cover and Frame (V3) Conforming to IS 12592, Precast Concrete Manhole Cover and Frame (V2) Conforming to IS 12592, IGBT Based Heavy Duty Power Source Air Plasma Cutting System with compressor, Heavy Duty Pipe Wrench (V2) As Per Is 4003
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / **Relevant Categories selected for notification**	• Irrigation Equipment – Polyethylene Pipes for Irrigation Laterals conforming to IS 12786 • Unplsticized PVC Pipes for Water Supply conforming to IS 4985 • Drip Irrigation Unit (V2)
बीओक्यू शीर्षक /**BOQ Title**	Drip Irrigation items
पिछले 3 वित्तीय वर्षों का बिडर का न्यूनतम औसत वार्षिक वित्तीय टर्नओवर/**Minimum Average Annual Turnover of the bidder (For the last 3 Financial Years)**	2.9 Lakh (s)
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/**OEM Average Turnover (Last 3 Years)**	15 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/**Years of Past Experience Required for same/similar service**	3 Year (s)
टर्नओवर पात्रता मानदंड/**Turnover eligibility criteria**	To be verified by the buyer at the time of technical evaluation
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / **MSE Relaxation for Years Of Experience and Turnover**	Yes | Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / **Startup Relaxation for Years Of Experience and Turnover**	Yes | Complete

बिड विवरण/Bid Details	
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	2
विगत प्रदर्शन /Past Performance	40 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	16 MM UV stabilized Online Poly Tube
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता / MII Purchase Preference

एमआईआई खरीद वरीयता / MII Purchase Preference	Yes
मेक इन इंडिया विक्रेताओं को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% तक की सीमा में है / Purchase Preference to MII sellers availabele upto price within L1+X%	20
मेक इन इंडिया खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Maximum Percentage of Bid quantity for MII purchase preference	50
सार्वजनिक खरीद (मेक-इन-इंडिया को प्राथमिकता) आदेश 2017 के अनुसार केवल क्लास 1/क्लास 2 के स्थानीय आपूर्तिकर्ताओं को ही भागीदारी की अनुमति है दिनांक 16.09.2020 (समय-समय पर संशोधित एवं लागू) / Allow participation only from Class 1/Class 2 local suppliers as per the Public procurement(Preference to Make-in-india) order 2017 date 16.09.2020(as amended and applicable time to time)	Yes, in compliance with the MII ORDER : DPIIT Order(as amended and applicable time to time)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.

3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
8. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.
OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017 and its subsequent Orders/Notifications issued by concerned Ministry .Benefits of MSE will be allowed only if seller/service provider is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM_No.1_4_2021_PPD_dated_18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public

Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
10. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
11. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 40% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

16 MM UV Stabilized Online Poly Tube

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	15000	15

Micro Tube Of 6 MM

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5000	15

16 MM Dripline Joiner

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	3000	15

6 MM Joiner For Extension Tubes

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10000	15

J.Jet 30LPH Blue Colored Nozzle

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	8000	15

Goof Plug

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	2000	15

16 MM UV Resistant Polyethylene End Stop

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	2000	15

PVC Gum 250mL

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

90 MM PVC Ball Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

63 MM PVC Ball Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

Hack Saw Blade

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

20 MM Plastic Bib Cock

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

25mm PVC Ball Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

140 MM PVC Pressure Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	30	15

90 MM PVC Pressure Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	30	15

20 MM PVC Pressure Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	30	15

160 MM PVC Solvent Cement Bend

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	3	15

90 MM PVCSolvent Cement Bend

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

32 MM PVCSolvent Cement Bend

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

25 MM PVCSolvent Cement Bend

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

20 MM PVCSolvent Cement Bend

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

50 MM PVC Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

25 MM PVC Elbow

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

110 MM PVC Plain End Cap

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

50 MM PVC MTA

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	20	15

140 MM PVC Equal TEE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	2	15

32 MMPVC Equal TEE

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

110 MM PVC Coupler

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

90 MM PVC Coupler

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	10	15

63 MM PVC Coupler

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	25	15

50 MM PVC Coupler

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	25	15

140 MM X 110 MM PVC Reducer Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

90 MM X 63 MM PVC Reducer Socket

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

110 MM G.I Gate Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	5	15

140 MM G.I Gate Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	1	15

160 MM G.I Gate Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	1	15

110 MM Stainless Steel Hose Collar

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	2	15

110 MM Cast Iron Ball Type Non-return Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	2	15

110 MM Heavy Duty Metal Round Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	4	15

90 MM Stainless Steel Hose Collar For HDPE Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	3	15

90 MM Cast Iron Ball Type Non-return Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	3	15

90 MM Heavy Duty Metal Round Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	6	15

75 MM Stainless Steel Hose Collar For HDPE Pipe

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	1	15

75 MM Cast Iron Ball Type Non-return Valve

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	1	15

75 MM Heavy Duty Metal Round Clamp

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	M Ravindran	574230,ICAR-CPCRI, Research Centre, Kidu, Bilinele Village, Kadaba Taluk, Nettana Post, Dakshina Kannada	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. **Generic**

   OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be (Increased quantity ÷ Original quantity) × Original delivery period (in days), subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. **Generic**

   Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3. **Generic**

   Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

   ICAR-CPCRI, Research Centre, Kidu
   Bilinele Village
   Kadaba Taluk
   Nettana Post, Dakshina Kannada
   KARNATAKA-574230
   .

4. **Generic**

   Bidders shall quote only those products (Part of Service delivery) in the bid which are not obsolete in the

market and has at least 2 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

5. **Generic**

   Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

6. **Generic**

   End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

7. **Generic**

   Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

8. **Generic**

   Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

9. **Generic**

   Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

10. **Generic**

    Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

11. **Generic**

    Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

12. **Generic**

    The Buyer has an existing set up / inventory of similar products. The offered / supplied product must be compatible with existing system. The bidder has to ensure Compatibility of the supplied items or shall have to include in the supply the necessary hardware / software to make them compatible at no extra cost to the buyer. The details of items with which compatibility is required are as under:

    JAIN

13. **Generic**

    The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice, following accessories must be part of supply and cost should be included in bid price:

    0
    .

14. **Generic**

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

15. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:
i) The Seller fails to comply with any material term of the Contract.
ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
iv) The Seller becomes bankrupt or goes into liquidation.
v) The Seller makes a general assignment for the benefit of creditors.
vi) A receiver is appointed for any substantial property owned by the Seller.
vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

16. **Generic**

While generating invoice in GeM portal, the seller must upload scanned copy of GST invoice and the screenshot of GST portal confirming payment of GST.

17. **Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

18. **Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

19. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

20. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

21. **Service & Support**

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each

Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

22. **Service & Support**

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

23. **Service & Support**

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

24. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

25. **Certificates**

ISO 9001: The bidder or the OEM of the offered products must have ISO 9001 certification.

26. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer’s Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

27. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

28. **Past Project Experience**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

29. **Past Project Experience**

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

(i) Single order of at least 35% of estimated bid value; or
(ii) Two orders of at least 20% each of estimated bid value; or
(iii) Three orders of at least 15% each of estimated bid value.
Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

30. **Financial Criteria**

NET WORTH: Net Worth of the OEM should be positive as per the last audited financial statement.

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid.All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM.If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents (other than EMD and signed Integrity Pact - which can be submitted within 5 days of bid opening) in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---